



# Regent Quick Ship Program

- After a substantial investment in our Michigan facilities, Colson Group can now produce any combination of Shepherd Regent SKU's in this mini-catalog 10,000 at a time and ship within days!
- 2" to 5" diameter wheels — Capacities range from 80-150lbs
- Available on zinc plated models, select mounting options, and popular wheel types



Made in USA

# Regent Quick Ship Program



Shepherd, a Colson Group brand offers the Regent Quick Ship Program for many models. After a substantial investment at our Michigan facilities, Shepherd can now produce any combination of the SKU's in this mini-catalog 10,000 at a time and ship them within days!

Colson Group is the largest manufacturer and distributor of caster and wheel products in the world. Colson Group operates 25 global facilities – where over 192,000 products are shipped out every day.

## Features

- Industry leading selection and overall value
- Fast deliveries for any order quantity
- High-strength & heat treated steel for increased durability and caster life
- Dual ball raceways
- RoHS compliant zinc plating for corrosion resistance
- Octagon washer on stem models for easy installation
- NSF approved (except for 113 plates)

## Applications

- Store fixtures
- Carts
- Institutional Equipment
- Food Service Equipment
- Furniture
- Janitorial Equipment
- Office Equipment
- Racks and Storage Equipment
- Medical Equipment

## Wheel Selection



Polyolefin



Hard or Soft Rubber



Thermoplastic Rubber (TPR)



Polyurethane (TPU)

	Polyolefin	Hard or Soft Rubber	Thermoplastic Rubber (TPR)	Polyurethane (TPU)
Floor Protection*	✓	✓	✓+	✓+
Non-Marking	✓	✓	✓+	✓+
Durability	✓+	✓	✓	✓+
Cushioned Ride		✓+(soft)	✓	✓
Chemical Resistance	✓+	✓	✓	✓+

## Brake Options



Side brakes available on 2" to 3" diameter casters



Tread brakes available on 4" and 5" diameter casters

## 2" Diameter Regent Quick Ship Models

Chart shows only Quick Ship Program models.  
Full Regent offering at [shepherdcasters.com/regent](http://shepherdcasters.com/regent)

Wheel Diameter (Inches)	Tread Width (Inches)	Mounting Height (Inches)	Swivel Radius (Inches)	Wheel Tread Type	Dynamic Load (Pounds)	Model Number	Optional Brake	Fastening Selection
2"	13/16"	2-5/8"	1-15/16"	Soft Rubber	80	PRE20108ZN-3R	None	<b>108 Top Plate</b> 
			2-1/8"	Soft Rubber	80	PRE20108ZN-3RB	Side Brake	
			1-15/16"	Thermoplastic Rubber	80	PRE20108ZN-TPR	None	
			2-1/8"	Thermoplastic Rubber	80	PRE20108ZN-TPRB	Side Brake	
			1-15/16"	Hard Rubber	90	PRE20113ZN-3H	None	
			2-1/8"	Hard Rubber	90	PRE20113ZN-3HB	Side Brake	
			1-15/16"	Polyolefin	90	PRE20108ZN-3E	None	<b>113 Top Plate</b> 
			2-1/8"	Polyolefin	90	PRE20108ZN-3EB	Side Brake	
			1-15/16"	Soft Rubber	80	PRE20113ZN-3R	None	
			2-1/8"	Soft Rubber	80	PRE20113ZN-3RB	Side Brake	
			1-15/16"	Thermoplastic Rubber	80	PRE20113ZN-TPR	None	
			2-1/8"	Thermoplastic Rubber	80	PRE20113ZN-TPRB	Side Brake	
			1-15/16"	Hard Rubber	90	PRE20113ZN-3H	None	<b>211 Grip Ring Stem</b> 
			2-1/8"	Hard Rubber	90	PRE20113ZN-3HB	Side Brake	
			1-15/16"	Polyolefin	90	PRE20113ZN-3E	None	
			2-1/8"	Polyolefin	90	PRE20113ZN-3EB	Side Brake	
			1-15/16"	Soft Rubber	80	PRE20211ZN-3R	None	
			2-1/8"	Soft Rubber	80	PRE20211ZN-3RB	Side Brake	
			1-15/16"	Thermoplastic Rubber	80	PRE20211ZN-TPR	None	
			2-1/8"	Thermoplastic Rubber	80	PRE20211ZN-TPRB	Side Brake	
			1-15/16"	Hard Rubber	90	PRE20211ZN-3H	None	
			2-1/8"	Hard Rubber	90	PRE20211ZN-3HB	Side Brake	
			1-15/16"	Polyolefin	90	PRE20211ZN-3E	None	
			2-1/8"	Polyolefin	90	PRE20211ZN-3EB	Side Brake	












Note: 113 plate is not NSF listed for food service industry.



Top plate caster with thermoplastic rubber wheel and side brake

## 2" Diameter Regent Quick Ship Models (Continued)

Chart shows only Quick Ship Program models.  
Full Regent offering at [shepherdcasters.com/regent](http://shepherdcasters.com/regent)

Wheel Diameter (Inches)	Tread Width (Inches)	Mounting Height (Inches)	Swivel Radius (Inches)	Wheel Tread Type	Dynamic Load (Pounds)	Model Number	Optional Brake	Fastening Selection
2"	13/16"	2-5/8"	1-15/16"	Soft Rubber	80	PRE20223ZN-3R	None	<b>223 Grip Ring Stem</b> 
			2-1/8"	Soft Rubber	80	PRE20223ZN-3RB	Side Brake	
			1-15/16"	Thermoplastic Rubber	80	PRE20223ZN-TPR	None	
			2-1/8"	Thermoplastic Rubber	80	PRE20223ZN-TPRB	Side Brake	
			1-15/16"	Hard Rubber	90	PRE20223ZN-3H	None	
			2-1/8"	Hard Rubber	90	PRE20223ZN-3HB	Side Brake	
			1-15/16"	Polyolefin	90	PRE20223ZN-3E	None	<b>273 Brass Band Stem</b> 
			2-1/8"	Polyolefin	90	PRE20223ZN-3EB	Side Brake	
			1-15/16"	Soft Rubber	80	PRE20273ZN-3R	None	
			2-1/8"	Soft Rubber	80	PRE20273ZN-3RB	Side Brake	
			1-15/16"	Thermoplastic Rubber	80	PRE20273ZN-TPR	None	
			2-1/8"	Thermoplastic Rubber	80	PRE20273ZN-TPRB	Side Brake	
			1-15/16"	Hard Rubber	90	PRE20273ZN-3H	None	<b>302 Grip Neck Stem</b> 
			2-1/8"	Hard Rubber	90	PRE20273ZN-3HB	Side Brake	
			1-15/16"	Polyolefin	90	PRE20273ZN-3E	None	
			2-1/8"	Polyolefin	90	PRE20273ZN-3EB	Side Brake	
			1-15/16"	Soft Rubber	80	PRE20302ZN-3R	None	
			2-1/8"	Soft Rubber	80	PRE20302ZN-3RB	Side Brake	
			1-15/16"	Thermoplastic Rubber	80	PRE20302ZN-TPR	None	<b>507 Threaded Stem</b> 
			2-1/8"	Thermoplastic Rubber	80	PRE20302ZN-TPRB	Side Brake	
			1-15/16"	Hard Rubber	90	PRE20302ZN-3H	None	
			2-1/8"	Hard Rubber	90	PRE20302ZN-3HB	Side Brake	
			1-15/16"	Polyolefin	90	PRE20302ZN-3E	None	
			2-1/8"	Polyolefin	90	PRE20302ZN-3EB	Side Brake	
			1-15/16"	Soft Rubber	80	PRE20507ZN-3R	None	<b>532 Threaded Stem</b> 
			2-1/8"	Soft Rubber	80	PRE20507ZN-3RB	Side Brake	
			1-15/16"	Thermoplastic Rubber	80	PRE20507ZN-TPR	None	
			2-1/8"	Thermoplastic Rubber	80	PRE20507ZN-TPRB	Side Brake	
			1-15/16"	Hard Rubber	90	PRE20507ZN-3H	None	
			2-1/8"	Hard Rubber	90	PRE20507ZN-3HB	Side Brake	
			1-15/16"	Polyolefin	90	PRE20532ZN-3R	None	<b>605 Threaded Stem</b> 
			2-1/8"	Polyolefin	90	PRE20532ZN-3RB	Side Brake	
			1-15/16"	Soft Rubber	80	PRE20532ZN-TPR	None	
			2-1/8"	Soft Rubber	80	PRE20532ZN-TPRB	Side Brake	
			1-15/16"	Thermoplastic Rubber	80	PRE20532ZN-3H	None	
			2-1/8"	Thermoplastic Rubber	80	PRE20532ZN-3HB	Side Brake	
			1-15/16"	Hard Rubber	90	PRE20532ZN-3E	None	<b>634 Threaded Stem</b> 
			2-1/8"	Hard Rubber	90	PRE20532ZN-3EB	Side Brake	
			1-15/16"	Polyolefin	90	PRE20605ZN-3R	None	
			2-1/8"	Polyolefin	90	PRE20605ZN-3RB	Side Brake	
			1-15/16"	Soft Rubber	80	PRE20605ZN-TPR	None	
			2-1/8"	Soft Rubber	80	PRE20605ZN-TPRB	Side Brake	
			1-15/16"	Thermoplastic Rubber	80	PRE20605ZN-3H	None	<b>637 Threaded Stem</b> 
			2-1/8"	Thermoplastic Rubber	80	PRE20605ZN-3HB	Side Brake	
			1-15/16"	Hard Rubber	90	PRE20605ZN-3E	None	
			2-1/8"	Hard Rubber	90	PRE20605ZN-3EB	Side Brake	
			1-15/16"	Polyolefin	90	PRE20634ZN-3R	None	
			2-1/8"	Polyolefin	90	PRE20634ZN-3RB	Side Brake	
			1-15/16"	Soft Rubber	80	PRE20634ZN-TPR	None	<b>637 Threaded Stem</b> 
			2-1/8"	Soft Rubber	80	PRE20634ZN-TPRB	Side Brake	
			1-15/16"	Thermoplastic Rubber	80	PRE20634ZN-3H	None	
			2-1/8"	Thermoplastic Rubber	80	PRE20634ZN-3HB	Side Brake	
			1-15/16"	Hard Rubber	90	PRE20634ZN-3E	None	
			2-1/8"	Hard Rubber	90	PRE20634ZN-3EB	Side Brake	
			1-15/16"	Polyolefin	90	PRE20637ZN-3R	None	<b>637 Threaded Stem</b> 
			2-1/8"	Polyolefin	90	PRE20637ZN-3RB	Side Brake	
			1-15/16"	Soft Rubber	80	PRE20637ZN-TPR	None	
			2-1/8"	Soft Rubber	80	PRE20637ZN-TPRB	Side Brake	
			1-15/16"	Thermoplastic Rubber	80	PRE20637ZN-3H	None	
			2-1/8"	Thermoplastic Rubber	80	PRE20637ZN-3HB	Side Brake	
			1-15/16"	Hard Rubber	90	PRE20637ZN-3E	None	<b>637 Threaded Stem</b> 
			2-1/8"	Hard Rubber	90	PRE20637ZN-3EB	Side Brake	
			1-15/16"	Polyolefin	90	PRE20637ZN-3E	None	
			2-1/8"	Polyolefin	90	PRE20637ZN-3EB	Side Brake	
			1-15/16"	Soft Rubber	80	PRE20637ZN-3R	None	
			2-1/8"	Soft Rubber	80	PRE20637ZN-3RB	Side Brake	



Grip ring caster with hard rubber wheel and side brake



Grip neck stem caster with soft rubber wheel



Threaded stem caster with thermoplastic rubber wheel



## 2-1/2" Dia. Regent Quick Ship Models (Continued)

Chart shows only Quick Ship Program models.  
Full Regent offering at [shepherdcasters.com/regent](http://shepherdcasters.com/regent)

Wheel Diameter (Inches)	Tread Width (Inches)	Mounting Height (Inches)	Swivel Radius (Inches)	Wheel Tread Type	Dynamic Load (Pounds)	Model Number	Optional Brake	Fastening Selection
2-1/2"	13/16"	3-1/8"	Swivel & Side Brake: 2-1/8"	Thermoplastic Rubber	80	PRE25108ZN-TPR	None	<b>108 Top Plate</b> 
				Thermoplastic Rubber	80	PRE25108ZN-TPRB	Side Brake	
				Polyolefin	95	PRE25108ZN-3E	None	
				Polyolefin	95	PRE25108ZN-3EB	Side Brake	
				Thermoplastic Rubber	80	PRE25113ZN-TPR	None	<b>113 Top Plate</b> 
				Thermoplastic Rubber	80	PRE25113ZN-TPRB	Side Brake	
				Polyolefin	95	PRE25113ZN-3E	None	
				Polyolefin	95	PRE25113ZN-3EB	Side Brake	
				Thermoplastic Rubber	80	PRE25211ZN-TPR	None	<b>211 Grip Ring Stem</b> 
				Thermoplastic Rubber	80	PRE25211ZN-TPRB	Side Brake	
				Polyolefin	95	PRE25211ZN-3E	None	
				Polyolefin	95	PRE25211ZN-3EB	Side Brake	
				Thermoplastic Rubber	80	PRE25223ZN-TPR	None	<b>223 Grip Ring Stem</b> 
				Thermoplastic Rubber	80	PRE25223ZN-TPRB	Side Brake	
				Polyolefin	95	PRE25223ZN-3E	None	
				Polyolefin	95	PRE25223ZN-3EB	Side Brake	
				Thermoplastic Rubber	80	PRE25273ZN-TPR	None	<b>273 Brass Band Stem</b> 
				Thermoplastic Rubber	80	PRE25273ZN-TPRB	Side Brake	
				Polyolefin	95	PRE25273ZN-3E	None	
				Polyolefin	95	PRE25273ZN-3EB	Side Brake	
				Thermoplastic Rubber	80	PRE25302ZN-TPR	None	<b>302 Grip Neck Stem</b> 
				Thermoplastic Rubber	80	PRE25302ZN-TPRB	Side Brake	
				Polyolefin	95	PRE25302ZN-3E	None	
				Polyolefin	95	PRE25302ZN-3EB	Side Brake	
				Thermoplastic Rubber	80	PRE25507ZN-TPR	None	<b>507 Threaded Stem</b> 
				Thermoplastic Rubber	80	PRE25507ZN-TPRB	Side Brake	
				Polyolefin	95	PRE25507ZN-3E	None	
				Polyolefin	95	PRE25507ZN-3EB	Side Brake	
				Thermoplastic Rubber	80	PRE25532ZN-TPR	None	<b>532 Threaded Stem</b> 
				Thermoplastic Rubber	80	PRE25532ZN-TPRB	Side Brake	
				Polyolefin	95	PRE25532ZN-3E	None	
				Polyolefin	95	PRE25532ZN-3EB	Side Brake	
				Thermoplastic Rubber	80	PRE25605ZN-TPR	None	<b>605 Threaded Stem</b> 
				Thermoplastic Rubber	80	PRE25605ZN-TPRB	Side Brake	
				Polyolefin	95	PRE25605ZN-3E	None	
				Polyolefin	95	PRE25605ZN-3EB	Side Brake	
				Thermoplastic Rubber	80	PRE25634ZN-TPR	None	<b>634 Threaded Stem</b> 
				Thermoplastic Rubber	80	PRE25634ZN-TPRB	Side Brake	
				Polyolefin	95	PRE25634ZN-3E	None	
				Polyolefin	95	PRE25634ZN-3EB	Side Brake	
				Thermoplastic Rubber	80	PRE25637ZN-TPR	None	<b>637 Threaded Stem</b> 
				Thermoplastic Rubber	80	PRE25637ZN-TPRB	Side Brake	
				Polyolefin	95	PRE25637ZN-3E	None	
				Polyolefin	95	PRE25637ZN-3EB	Side Brake	



Top plate  
caster with  
thermoplastic  
rubber wheel










Grip ring stem  
caster with  
polyolefin wheel  
and side brake



Grip neck stem  
caster with  
thermoplastic  
rubber wheel  
and side brake

### 3" Dia. Regent Quick Ship Models (Continues)

Chart shows only Quick Ship Program models.  
Full Regent offering at [shepherdcasters.com/regent](http://shepherdcasters.com/regent)

Wheel Diameter (Inches)	Tread Width (Inches)	Mounting Height (Inches)	Swivel Radius (Inches)	Wheel Tread Type	Dynamic Load (Pounds)	Model Number	Optional Brake	Fastening Selection
3"	13/16"	3-1/2"	Swivel and Side Brake: 2-1/2"	Soft Rubber	110	PRE30108ZN-3R	None	<b>108 Top Plate</b> 
				Soft Rubber	110	PRE30108ZN-3RB	Side Brake	
				Thermoplastic Rubber	110	PRE30108ZN-TPR	None	
				Thermoplastic Rubber	110	PRE30108ZN-TPRB	Side Brake	
				Thermoplastic Urethane	120	PRE30108ZN-TPU	None	
				Thermoplastic Urethane	120	PRE30108ZN-TPUB	Side Brake	
				Polyolefin	120	PRE30108ZN-3E	None	<b>113 Top Plate</b>  <p>Note: 113 plate is not NSF listed for food service industry.</p>
				Polyolefin	120	PRE30108ZN-3EB	Side Brake	
				Soft Rubber	110	PRE30113ZN-3R	None	
				Soft Rubber	110	PRE30113ZN-3RB	Side Brake	
				Thermoplastic Rubber	110	PRE30113ZN-TPR	None	
				Thermoplastic Rubber	110	PRE30113ZN-TPRB	Side Brake	
				Thermoplastic Urethane	120	PRE30113ZN-TPU	None	<b>211 Grip Ring Stem</b> 
				Thermoplastic Urethane	120	PRE30113ZN-TPUB	Side Brake	
				Polyolefin	120	PRE30211ZN-3E	None	
				Polyolefin	120	PRE30211ZN-3EB	Side Brake	
				Soft Rubber	110	PRE30223ZN-3R	None	<b>223 Grip Ring Stem</b> 
				Soft Rubber	110	PRE30223ZN-3RB	Side Brake	
				Thermoplastic Rubber	110	PRE30223ZN-TPR	None	
				Thermoplastic Rubber	110	PRE30223ZN-TPRB	Side Brake	
				Thermoplastic Urethane	120	PRE30223ZN-TPU	None	<b>273 Brass Band Stem</b> 
				Thermoplastic Urethane	120	PRE30223ZN-TPUB	Side Brake	
				Polyolefin	120	PRE30223ZN-3E	None	
				Polyolefin	120	PRE30223ZN-3EB	Side Brake	
				Soft Rubber	110	PRE30273ZN-3R	None	<b>302 Grip Neck Stem</b> 
				Soft Rubber	110	PRE30273ZN-3RB	Side Brake	
				Thermoplastic Rubber	110	PRE30273ZN-TPR	None	
				Thermoplastic Rubber	110	PRE30273ZN-TPRB	Side Brake	
				Thermoplastic Urethane	120	PRE30273ZN-TPU	None	<b>302 Grip Neck Stem</b> 
				Thermoplastic Urethane	120	PRE30273ZN-TPUB	Side Brake	
				Polyolefin	120	PRE30302ZN-3E	None	
				Polyolefin	120	PRE30302ZN-3EB	Side Brake	



Threaded stem  
caster with  
polyolefin wheel










Top plate caster  
with polyolefin  
wheel and side  
brake



Threaded stem  
caster with  
thermoplastic  
rubber wheel and  
side brake

### 3" Dia. Regent Quick Ship Models (Continues)

Chart shows only Quick Ship Program models.  
Full Regent offering at [shepherdcasters.com/regent](http://shepherdcasters.com/regent)

Wheel Diameter (Inches)	Tread Width (Inches)	Mounting Height (Inches)	Swivel Radius (Inches)	Wheel Tread Type	Dynamic Load (Pounds)	Model Number	Optional Brake	Fastening Selection
3"	13/16"	3-1/2"	Swivel and Side Brake: 2-1/2"	Soft Rubber	110	PRE30507ZN-3R	None	<b>507 Threaded Stem</b> 
				Soft Rubber	110	PRE30507ZN-3RB	Side Brake	
				Thermoplastic Rubber	110	PRE30507ZN-TPR	None	
				Thermoplastic Rubber	110	PRE30507ZN-TPRB	Side Brake	
				Thermoplastic Urethane	120	PRE30507ZN-TPU	None	
				Thermoplastic Urethane	120	PRE30507ZN-TPUB	Side Brake	
				Polyolefin	120	PRE30507ZN-3E	None	<b>532 Threaded Stem</b> 
				Polyolefin	120	PRE30507ZN-3EB	Side Brake	
				Soft Rubber	110	PRE30532ZN-3R	None	
				Soft Rubber	110	PRE30532ZN-3RB	Side Brake	
				Thermoplastic Rubber	110	PRE30532ZN-TPR	None	
				Thermoplastic Rubber	110	PRE30532ZN-TPRB	Side Brake	
				Thermoplastic Urethane	120	PRE30532ZN-TPU	None	<b>605 Threaded Stem</b> 
				Thermoplastic Urethane	120	PRE30532ZN-TPUB	Side Brake	
				Polyolefin	120	PRE30532ZN-3E	None	
				Polyolefin	120	PRE30532ZN-3EB	Side Brake	
				Soft Rubber	110	PRE30605ZN-3R	None	
				Soft Rubber	110	PRE30605ZN-3RB	Side Brake	
				Thermoplastic Rubber	110	PRE30605ZN-TPR	None	<b>634 Threaded Stem</b> 
				Thermoplastic Rubber	110	PRE30605ZN-TPRB	Side Brake	
				Thermoplastic Urethane	120	PRE30605ZN-TPU	None	
				Thermoplastic Urethane	120	PRE30605ZN-TPUB	Side Brake	
				Polyolefin	120	PRE30605ZN-3E	None	
				Polyolefin	120	PRE30605ZN-3EB	Side Brake	
				Soft Rubber	110	PRE30634ZN-3R	None	<b>637 Threaded Stem</b> 
				Soft Rubber	110	PRE30634ZN-3RB	Side Brake	
				Thermoplastic Rubber	110	PRE30634ZN-TPR	None	
				Thermoplastic Rubber	110	PRE30634ZN-TPRB	Side Brake	
				Thermoplastic Urethane	120	PRE30634ZN-TPU	None	
				Thermoplastic Urethane	120	PRE30634ZN-TPUB	Side Brake	
				Polyolefin	120	PRE30634ZN-3E	None	<b>637 Threaded Stem</b> 
				Polyolefin	120	PRE30634ZN-3EB	Side Brake	
				Soft Rubber	110	PRE30637ZN-3R	None	
				Soft Rubber	110	PRE30637ZN-3RB	Side Brake	
				Thermoplastic Rubber	110	PRE30637ZN-TPR	None	
				Thermoplastic Rubber	110	PRE30637ZN-TPRB	Side Brake	
				Thermoplastic Urethane	120	PRE30637ZN-TPU	None	<b>637 Threaded Stem</b> 
				Thermoplastic Urethane	120	PRE30637ZN-TPUB	Side Brake	
				Polyolefin	120	PRE30637ZN-3E	None	
				Polyolefin	120	PRE30637ZN-3EB	Side Brake	



Swivel plate  
caster with soft  
rubber wheel



Threaded stem  
caster with hard  
rubber wheel and  
side brake








## Regent Quick Ship

- Large investment in manufacturing and warehousing capabilities
- Shepherd can now produce any combination of the SKU's in this mini-catalog 10,000 at a time within days
- Manufactured and assembled in the USA

## 4" Diameter Regent Quick Ship Models

Chart shows only Quick Ship Program models.  
Full Regent offering at [shepherdcasters.com/regent](http://shepherdcasters.com/regent)

Wheel Diameter (Inches)	Tread Width (Inches)	Mounting Height (Inches)	Swivel Radius (Inches)	Wheel Tread Type	Dynamic Load (Pounds)	Model Number	Optional Brake	Fastening Selection
4"	15/16"	Stems: 4-3/4" Plates: 4-7/8"	3-7/16"	Thermoplastic Rubber	125	PRE40120ZN-TPR	None	<b>120 Top Plate</b> 
			3-1/2"	Thermoplastic Rubber	125	PRE40120ZN-TPRB	Tread Lock	
			3-7/16"	Polyolefin	150	PRE40120ZN-3E	None	
			3-1/2"	Polyolefin	150	PRE40120ZN-3EB	Tread Lock	
			3-7/16"	Thermoplastic Rubber	125	PRE40204ZN-TPR	None	<b>204 Brass Band Stem</b> 
			3-1/2"	Thermoplastic Rubber	125	PRE40204ZN-TPRB	Tread Lock	
			3-7/16"	Polyolefin	150	PRE40204ZN-3E	None	
			3-1/2"	Polyolefin	150	PRE40204ZN-3EB	Tread Lock	
			3-7/16"	Thermoplastic Rubber	125	PRE40273ZN-TPR	None	<b>273 Brass Band Stem</b> 
			3-1/2"	Thermoplastic Rubber	125	PRE40273ZN-TPRB	Tread Lock	
			3-7/16"	Polyolefin	150	PRE40273ZN-3E	None	
			3-1/2"	Polyolefin	150	PRE40273ZN-3EB	Tread Lock	
			3-7/16"	Thermoplastic Rubber	125	PRE40605ZN-TPR	None	<b>605 Threaded Stem</b> 
			3-1/2"	Thermoplastic Rubber	125	PRE40605ZN-TPRB	Tread Lock	
			3-7/16"	Polyolefin	150	PRE40605ZN-3E	None	
			3-1/2"	Polyolefin	150	PRE40605ZN-3EB	Tread Lock	
			3-7/16"	Thermoplastic Rubber	125	PRE40748ZN-TPR	None	<b>748 Threaded Stem</b> 
			3-1/2"	Thermoplastic Rubber	125	PRE40748ZN-TPRB	Tread Lock	
			3-7/16"	Polyolefin	150	PRE40748ZN-3E	None	
			3-1/2"	Polyolefin	150	PRE40748ZN-3EB	Tread Lock	








Brass band  
caster with  
polyolefin wheel



Swivel plate  
caster with  
thermoplastic  
rubber wheel and  
tread brake

## 5" Diameter Regent Quick Ship Models

Chart shows only Quick Ship Program models.  
Full Regent offering at [shepherdcasters.com/regent](http://shepherdcasters.com/regent)

5"	15/16"	Stems: 5-3/4" Plates: 5-7/8"	Swivel & Tread Brake: 4-1/8"	Thermoplastic Rubber	130	PRE50120ZN-TPR	None	<b>120 Top Plate</b> 
				Thermoplastic Rubber	130	PRE50120ZN-TPRB	Tread Lock	
				Polyolefin	150	PRE50120ZN-3E	None	
				Polyolefin	150	PRE50120ZN-3EB	Tread Lock	
				Thermoplastic Rubber	130	PRE50204ZN-TPR	None	<b>204 Brass Band Stem</b> 
				Thermoplastic Rubber	130	PRE50204ZN-TPRB	Tread Lock	
				Polyolefin	150	PRE50204ZN-3E	None	
				Polyolefin	150	PRE50204ZN-3EB	Tread Lock	
				Thermoplastic Rubber	130	PRE50273ZN-TPR	None	<b>273 Brass Band Stem</b> 
				Thermoplastic Rubber	130	PRE50273ZN-TPRB	Tread Lock	
				Polyolefin	150	PRE50273ZN-3E	None	
				Polyolefin	150	PRE50273ZN-3EB	Tread Lock	
				Thermoplastic Rubber	130	PRE50605ZN-TPR	None	<b>605 Threaded Stem</b> 
				Thermoplastic Rubber	130	PRE50605ZN-TPRB	Tread Lock	
				Polyolefin	150	PRE50605ZN-3E	None	
				Polyolefin	150	PRE50605ZN-3EB	Tread Lock	
				Thermoplastic Rubber	130	PRE50748ZN-TPR	None	<b>748 Threaded Stem</b> 
				Thermoplastic Rubber	130	PRE50748ZN-TPRB	Tread Lock	
				Polyolefin	150	PRE50748ZN-3E	None	
				Polyolefin	150	PRE50748ZN-3EB	Tread Lock	



Brass band  
caster with soft  
thermoplastic  
rubber wheel and  
tread brake



Threaded stem  
caster with  
thermoplastic  
wheel



# Regent Quick Ship Program



**800-253-0868**

***www.shepherdcasters.com***



— A BRAND OF —  
**THE GLOBAL LEADER**  
IN **CASTERS AND WHEELS.**